

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1767	dslam\$1 or ((dsl or (digital adj subscriber\$1 adj line\$1)) adj access adj multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 19:20
L2	452163	provider\$1 or isp or isps or sp or sps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 19:20
L3	353	1 with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 19:20
L4	4	("5600633" "5828666" "5923655" "6304578").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/01 20:14

Fri, 30 Sep 2005, 10:55:14 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

[#1](#)

(((dslam or digital subscriber line access multiplexer) and service provider)<in>metadata)

Results

0

[#2](#)

(((dslam or digital subscriber line access multiplexer) and provider)<in>metadata)

0

[#3](#)

(((dslam or digital subscriber line access multiplexer) and shar*)<in>metadata)

1

[#4](#)

(((dslam or digital subscriber line access multiplexer) and shar*)<in>metadata)

1

[#5](#)

(((dsl or xdsl) and access multiplexer and service provider)<in>metadata)

0

[#6](#)

(((dsl or xdsl) and access multiplexer and provider)<in>metadata)

0

[#7](#)

(((dsl or xdsl) and access multiplexer and shar*)<in>metadata)

0

[#8](#)

(((dsl or xdsl) and access multiplexer and port*)<in>metadata)

1

[#9](#)

(((dsl or xdsl) and access multiplexer and port*)<in>metadata)

1

[#10](#)

((dslam and port*)<in>metadata)

2

[#11](#)

((dslam and port*)<in>metadata)

2

[#12](#)

((dslam and port*)<in>metadata)

2

[Help](#)
[Contact Us](#)
[Security](#)
[Privacy &](#)
[IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved